

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard  
- US



## Chem-Trend® SprayFoam Flush 4

Version	Revision Date:	Date of last issue: 03/03/2023	Print Date:
1.1	12/11/2025	Date of first issue: 03/03/2023	05/18/2026

### SECTION 1. IDENTIFICATION

Product name : Chem-Trend® SprayFoam Flush 4

#### Manufacturer or supplier's details

Company name of supplier : Chem-Trend LP  
1445 W McPherson Park Dr  
PO Box 860, Howell MI 48844-0860  
United States  
+1 517 546 4520

E-mail address of person responsible for the SDS : SDS-NA@chemtrend.com

Emergency telephone number : +1 517 545 7070

#### Recommended use of the chemical and restrictions on use

Recommended use : Cleaning agent

Restrictions on use : For industrial use only.

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 4

Skin irritation : Category 2

Serious eye damage : Category 1

Reproductive toxicity : Category 1B

#### GHS label elements


# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard  
- US



## Chem-Trend® SprayFoam Flush 4

Version	Revision Date:	Date of last issue: 03/03/2023	Print Date:
1.1	12/11/2025	Date of first issue: 03/03/2023	05/18/2026

- Hazard pictograms : 
- Signal word : Danger
- Hazard statements : Combustible liquid.  
Causes skin irritation.  
Causes serious eye damage.  
May cause respiratory irritation.  
May damage fertility or the unborn child.
- Supplemental Hazard Statements : Corrosive to the respiratory tract.
- Precautionary statements : **Prevention:**  
Obtain special instructions before use.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
IF exposed or concerned: Get medical advice/ attention.  
In case of fire: Use alcohol-resistant foam, carbon dioxide or water mist to extinguish.  
**Storage:**  
Store in a well-ventilated place. Keep container tightly closed. Store locked up.  
**Disposal:**  
Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard  
- US



## Chem-Trend® SprayFoam Flush 4

Version	Revision Date:	Date of last issue: 03/03/2023	Print Date:
1.1	12/11/2025	Date of first issue: 03/03/2023	05/18/2026

### Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
N-methyl-2-pyrrolidone	872-50-4*	>= 60 - < 80	TSC
Alcohols, C9-11, ethoxylated	68439-46-3*	>= 5 - < 10	TSC

\* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

Actual concentration is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If symptoms persist, call a physician.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
In case of contact, immediately flush skin with plenty of water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
Get medical attention immediately.
- If swallowed : Move the victim to fresh air.  
If accidentally swallowed obtain immediate medical attention.  
Do NOT induce vomiting.  
Rinse mouth with water.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.  
Causes serious eye damage.  
May cause respiratory irritation.  
May damage fertility or the unborn child.  
Corrosive to the respiratory tract.  
No symptoms known or expected.
- Notes to physician : Treat symptomatically.

## SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard  
- US



## Chem-Trend® SprayFoam Flush 4

Version 1.1	Revision Date: 12/11/2025	Date of last issue: 03/03/2023 Date of first issue: 03/03/2023	Print Date: 05/18/2026
----------------	------------------------------	---	---------------------------

carbon dioxide.

- Unsuitable extinguishing media : High volume water jet
- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NOx)
- Further information : Standard procedure for chemical fires.  
Cool containers/tanks with water spray.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.  
Exposure to decomposition products may be a hazard to health.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Use personal protective equipment.  
Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.  
Prevent further leakage or spillage if safe to do so.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not use in areas without adequate ventilation.  
In case of insufficient ventilation, wear suitable respiratory equipment.  
Avoid exposure - obtain special instructions before use.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard  
- US



## Chem-Trend® SprayFoam Flush 4

Version	Revision Date:	Date of last issue: 03/03/2023	Print Date:
1.1	12/11/2025	Date of first issue: 03/03/2023	05/18/2026

Wash hands and face before breaks and immediately after handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Conditions for safe storage : Store in original container.  
Keep container closed when not in use.  
Keep in a dry, cool and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in accordance with the particular national regulations.  
Keep in properly labelled containers.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
N-methyl-2-pyrrolidone	872-50-4	TWA	15 ppm 60 mg/m <sup>3</sup>	US WEEL (2021-02-08)
		STEL	30 ppm 120 mg/m <sup>3</sup>	US WEEL (2021-02-08)
(2-methoxymethylethoxy)propanol	34590-94-8	TWA	100 ppm 600 mg/m <sup>3</sup>	NIOSH REL (2013-10-08)
		ST	150 ppm 900 mg/m <sup>3</sup>	NIOSH REL (2013-10-08)
		TWA	100 ppm 600 mg/m <sup>3</sup>	OSHA Z-1 (1997-08-04)
		TWA	50 ppm	ACGIH (2023-01-01)

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
N-methyl-2-pyrrolidone	872-50-4	5-Hydroxy-N-methyl-2-pyrrolidone	Urine	End of shift (As soon as possible after exposure ceases)	100 mg/l	ACGIH BEI (2010-03-01)

Engineering measures : Effective exhaust ventilation system

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard  
- US



## Chem-Trend® SprayFoam Flush 4

Version 1.1	Revision Date: 12/11/2025	Date of last issue: 03/03/2023 Date of first issue: 03/03/2023	Print Date: 05/18/2026
----------------	------------------------------	---	---------------------------

### Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

Hand protection

Remarks : Protective gloves The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Eye protection : Tightly fitting safety goggles

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Colour : yellow

Odour : characteristic

Odour Threshold : No data available

Melting point/ range : No data available

Boiling point/boiling range : 399 °F / 204 °C

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard  
- US



## Chem-Trend® SprayFoam Flush 4

Version	Revision Date:	Date of last issue: 03/03/2023	Print Date:
1.1	12/11/2025	Date of first issue: 03/03/2023	05/18/2026

Flammability : Flammability (solid, gas):  
Not applicable

Upper explosion limit / Upper  
flammability limit : No data available

Lower explosion limit / Lower  
flammability limit : No data available

Flash point : 199 °F / 93 °C  
Method: Seta closed cup

Auto-ignition temperature : No data available

Self-ignition : No data available

Decomposition temperature : No data available

pH : Not applicable

Viscosity  
Viscosity, dynamic : No data available  
Viscosity, kinematic : No data available

Solubility(ies)  
Water solubility : completely miscible  
Solubility in other solvents : No data available

Partition coefficient: n-  
octanol/water : No data available

Vapour pressure : < 1 hPa (68 °F / 20 °C)

Density : 1.02 g/cm<sup>3</sup> (68 °F / 20 °C)

Relative density : 1.02 (68 °F / 20 °C)  
Reference substance: Water  
The value is calculated

Relative vapour density : No data available

Bulk density : No data available

Particle characteristics  
Other information

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard  
- US



## Chem-Trend® SprayFoam Flush 4

Version 1.1	Revision Date: 12/11/2025	Date of last issue: 03/03/2023 Date of first issue: 03/03/2023	Print Date: 05/18/2026
----------------	------------------------------	---	---------------------------

Evaporation rate : No data available

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition products : No decomposition if stored and applied as directed.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 3,167 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Remarks: Irritating to respiratory system.  
  
Symptoms: Inhalation may provoke the following symptoms:,  
Local irritation, Respiratory disorders

Acute dermal toxicity : Symptoms: Redness, Local irritation

#### Components:

#### **N-methyl-2-pyrrolidone:**

Acute oral toxicity : LD50 Oral (Rat): > 2,000 mg/kg

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard  
- US



## Chem-Trend® SprayFoam Flush 4

Version	Revision Date:	Date of last issue: 03/03/2023	Print Date:
1.1	12/11/2025	Date of first issue: 03/03/2023	05/18/2026

### Alcohols, C9-11, ethoxylated:

Acute oral toxicity : LD50 Oral (Rat): 1,400 mg/kg

### Skin corrosion/irritation

Causes skin irritation.

#### Product:

Remarks : This information is not available.

#### Components:

### N-methyl-2-pyrrolidone:

Species : Rabbit  
Result : Skin irritation

### Serious eye damage/eye irritation

Causes serious eye damage.

#### Product:

Remarks : This information is not available.

#### Components:

### N-methyl-2-pyrrolidone:

Species : Rabbit  
Result : Eye irritation

### Alcohols, C9-11, ethoxylated:

Result : Irreversible effects on the eye

### Respiratory or skin sensitisation

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Product:

Remarks : This information is not available.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard  
- US



## Chem-Trend® SprayFoam Flush 4

Version 1.1	Revision Date: 12/11/2025	Date of last issue: 03/03/2023 Date of first issue: 03/03/2023	Print Date: 05/18/2026
----------------	------------------------------	---	---------------------------

### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

### **Carcinogenicity**

Based on available data, the classification criteria are not met.

### Product:

Remarks : No data available

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### **Reproductive toxicity**

May damage fertility or the unborn child.

### Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

### Components:

#### **N-methyl-2-pyrrolidone:**

Reproductive toxicity - Assessment : - Fertility -  
Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

### **STOT - single exposure**

May cause respiratory irritation.  
Corrosive to the respiratory tract.

### Product:

Remarks : No data available

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard  
- US



## Chem-Trend® SprayFoam Flush 4

Version 1.1	Revision Date: 12/11/2025	Date of last issue: 03/03/2023 Date of first issue: 03/03/2023	Print Date: 05/18/2026
----------------	------------------------------	---	---------------------------

### Components:

#### **N-methyl-2-pyrrolidone:**

Assessment : May cause respiratory irritation.

#### **STOT - repeated exposure**

Based on available data, the classification criteria are not met.

#### Product:

Remarks : No data available

#### **Repeated dose toxicity**

#### Product:

Remarks : This information is not available.

#### **Aspiration toxicity**

Based on available data, the classification criteria are not met.

#### Product:

This information is not available.

#### **Further information**

#### Product:

Remarks : Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

---

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### Product:

Toxicity to fish : Remarks: Harmful to aquatic organisms.

Toxicity to daphnia and other :  
aquatic invertebrates Remarks: No data available

Toxicity to algae/aquatic :  
plants Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard  
- US



## Chem-Trend® SprayFoam Flush 4

Version 1.1	Revision Date: 12/11/2025	Date of last issue: 03/03/2023 Date of first issue: 03/03/2023	Print Date: 05/18/2026
----------------	------------------------------	---	---------------------------

---

### Components:

#### **N-methyl-2-pyrrolidone:**

##### **Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

#### **Alcohols, C9-11, ethoxylated:**

##### **Ecotoxicology Assessment**

Acute aquatic toxicity : Toxic to aquatic life.

### **Persistence and degradability**

#### Product:

Biodegradability : Remarks: No data available

Physico-chemical  
removability : Remarks: No data available

### Components:

#### **N-methyl-2-pyrrolidone:**

Biodegradability : Remarks: No data available

#### **Alcohols, C9-11, ethoxylated:**

Biodegradability : Result: Readily biodegradable.

### **Bioaccumulative potential**

#### Product:

Bioaccumulation : Remarks: No data available

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard  
- US



## Chem-Trend® SprayFoam Flush 4

Version 1.1	Revision Date: 12/11/2025	Date of last issue: 03/03/2023 Date of first issue: 03/03/2023	Print Date: 05/18/2026
----------------	------------------------------	---	---------------------------

### Components:

#### **N-methyl-2-pyrrolidone:**

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : log Pow: -0.46

#### **Alcohols, C9-11, ethoxylated:**

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : Remarks: No data available

### **Mobility in soil**

#### Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

### **Other adverse effects**

#### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No information on ecology is available.

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard  
- US



## Chem-Trend® SprayFoam Flush 4

Version	Revision Date:	Date of last issue: 03/03/2023	Print Date:
1.1	12/11/2025	Date of first issue: 03/03/2023	05/18/2026

the unused product.  
Dispose of waste product or used containers according to  
local regulations.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### National Regulations

#### 49 CFR

UN/ID/NA number	:	NA 1993
Proper shipping name	:	Combustible liquid, n.o.s. (1-methyl-2-pyrrolidone)
Class	:	CBL
Packing group	:	III
Labels	:	NONE
ERG Code	:	128
Marine pollutant	:	no
Remarks	:	Above applies only to containers over 119 gallons or 450 liters. Not regulated if shipped in packages less than or equal to 119 gallons (450 liters). If transporting by vessel or aircraft, unless other means of transportation is impracticable, then the product must be shipped as a flammable liquid.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard  
- US



## Chem-Trend® SprayFoam Flush 4

Version 1.1	Revision Date: 12/11/2025	Date of last issue: 03/03/2023 Date of first issue: 03/03/2023	Print Date: 05/18/2026
----------------	------------------------------	---	---------------------------

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

N-methyl-2-pyrrolidone	872-50-4	>= 70 - < 90 %
------------------------	----------	----------------

### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

### California Prop. 65

WARNING: This product can expose you to chemicals including N-methyl-2-pyrrolidone, Methanol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### The components of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## SECTION 16. OTHER INFORMATION

### Further information

#### Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
US WEEL	: USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	: 8-hour, time-weighted average
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	: STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA	: 8-hour time weighted average
US WEEL / TWA	: 8-hr TWA
US WEEL / STEL	: Short-Term TWA

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard  
- US



## Chem-Trend® SprayFoam Flush 4

Version	Revision Date:	Date of last issue: 03/03/2023	Print Date:
1.1	12/11/2025	Date of first issue: 03/03/2023	05/18/2026

AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 12/11/2025

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard  
- US



## Chem-Trend® SprayFoam Flush 4

Version	Revision Date:	Date of last issue: 03/03/2023	Print Date:
1.1	12/11/2025	Date of first issue: 03/03/2023	05/18/2026

---

from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.